









Odbočka jednostranná OBJ 90°
Odbočka oboustranná OBD 90°

Na vyžádání s přírubami

Objednávání:
 $d_1 = 315 \text{ mm}$; $d_3 = 160 \text{ mm}$
 „Odbočka jednostranná OBJ 315 - 160“

Nad $\varnothing 500$ lze zhotovit pouze po předchozí konzultaci s výrobcem. Uvedené hmotnosti jsou pouze orientační.



d₁-d₃(mm)	80-80	100-80	100-100	112-80	112-100	112-112	125-80	125-100	125-112	125-125	140-80	140-100
l₁ (mm)	170	170	190	170	190	200	170	190	200	215	170	190
l₂ (mm)	40	40	40	40	40	40	40	40	40	40	40	40
l₃ (mm)	85	95	95	100	100	100	110	110	110	110	115	115
m (kg)	0,5	0,6	0,6	0,6	0,7	0,7	0,7	0,8	0,8	0,9	0,8	0,9
	*	*	*				*	*				

d₁-d₃(mm)	140-112	140-125	140-140	160-80	160-100	160-112	160-125	160-140	160-160	180-80	180-100	180-112
l₁ (mm)	200	215	240	170	190	200	215	240	260	170	190	200
l₂ (mm)	40	40	40	40	40	40	40	40	40	40	40	40
l₃ (mm)	115	115	120	125	125	125	125	130	130	135	135	135
m (kg)	0,9	1	1,1	0,9	1	1	1,1	1,2	1,3	1	1,1	1,1
				*	*		*		*			

d₁-d₃(mm)	180-125	180-140	180-160	180-180	200-80	200-100	200-112	200-125	200-140	200-160	200-180	200-200
l₁ (mm)	215	240	260	280	170	190	200	215	240	260	280	330
l₂ (mm)	40	40	40	40	40	40	40	40	40	40	40	40
l₃ (mm)	135	140	140	140	145	145	145	145	150	150	150	165
m (kg)	1,2	1,3	1,4	1,5	1,1	1,2	1,3	1,4	1,5	1,6	1,7	1,9
				*	*		*		*			*

d₁-d₃(mm)	224-80	224-100	224-112	224-125	224-140	224-160	224-180	224-200	224-224	250-80	250-100	250-112
l₁ (mm)	170	190	200	215	240	260	280	330	355	170	190	200
l₂ (mm)	40	40	40	40	40	40	40	40	40	60-40	60-40	60-40
l₃ (mm)	160	160	160	160	165	165	165	180	180	170	170	170
m (kg)	1,2	1,4	1,5	1,6	1,8	1,9	2	2,1	2,2	1,5	1,6	1,7
										*	*	

d₁-d₃(mm)	250-125	250-140	250-160	250-180	250-200	250-224	250-250	280-80	280-100	280-112	280-125	280-140
l₁ (mm)	215	240	260	280	330	355	380	170	190	200	215	240
l₂ (mm)	60-40	60-40	60-40	60-40	60-40	60-40	60	60-40	60-40	60-40	60-40	60-40
l₃ (mm)	170	170	175	175	190	190	190	185	185	185	185	190
m (kg)	1,8	2	2,1	2,2	2,5	2,6	2,8	1,7	1,8	1,9	2	2,2
	*		*		*		*					

d₁-d₃(mm)	280-160	280-180	280-200	280-224	280-250	280-280	315-80	315-100	315-112	315-125	315-140	315-160
l₁ (mm)	260	280	330	355	380	430	170	190	200	215	240	260
l₂ (mm)	60-40	60-40	60-40	60-40	60	60	60-40	60-40	60-40	60-40	60-40	60-40
l₃ (mm)	190	190	205	205	205	215	205	205	205	205	210	210
m (kg)	2,3	2,5	2,8	2,9	3,2	3,5	2,2	2,4	2,5	2,7	2,9	3,1
							*	*		*		*

d₁-d₃(mm)	315-180	315-200	315-224	315-250	315-280	315-315	355-100	355-112	355-125	355-140	355-160	355-180
l₁ (mm)	280	330	355	380	430	465	190	200	215	240	260	280
l₂ (mm)	60-40	60-40	60-40	60	60	60	80-40	80-40	80-40	80-40	80-40	80-40
l₃ (mm)	210	225	225	225	235	235	225	225	225	230	230	230
m (kg)	3,3	3,7	3,9	4,2	4,6	4,9	2,7	2,9	3,0	3,3	3,5	3,7
		*		*		*				*		*

d₁-d₃(mm)	355-200	355-224	355-250	355-280	355-315	355-355	400-100	400-112	400-125	400-140	400-160	400-180
l₁ (mm)	330	355	380	430	465	525	190	200	215	240	260	280
l₂ (mm)	80-40	80-40	80-60	90-60	80	80	80-40	80-40	80-40	80-40	80-40	80-40
l₃ (mm)	245	245	245	255	255	265	245	245	245	250	250	250
m (kg)	4,1	4,4	4,7	5,2	5,6	6,1	3,3	3,5	3,7	4,0	4,2	4,4
							*		*		*	

* ...upřednostňované rozměry

d₁-d₃(mm)	400-200	400-224	400-250	400-280	400-315	400-355	400-400	450-125	450-140	450-160	450-180	450-200
l₁ (mm)	330	355	380	430	465	525	570	215	240	260	280	330
l₂ (mm)	80-40	80-40	80-60	80-60	80-60	80	80	80-40	80-40	80-40	80-40	80-40
l₃ (mm)	265	265	265	275	275	285	285	270	275	275	275	290
m (kg)	4,9	5,2	5,6	6,1	6,5	7,1	7,8	4,1	4,4	4,7	5,0	5,5

*

*

*

*

d₁-d₃(mm)	450-224	450-250	450-280	450-315	450-355	450-400	450-450	500-125	500-140	500-160	500-180	500-200
l₁ (mm)	355	380	430	465	525	570	620	215	240	260	280	330
l₂ (mm)	80-40	80-60	80-60	80-60	80	80	80	80-40	80-40	80-40	80-40	80-40
l₃ (mm)	290	290	300	300	310	310	310	295	300	300	300	315
m (kg)	5,8	6,3	6,8	7,3	8,0	8,7	9,3	4,5	4,9	5,2	5,5	6,1

*

*

d₁-d₃(mm)	500-224	500-250	500-280	500-315	500-355	500-400	500-450	500-500	560-200	560-224	560-250	560-280
l₁ (mm)	355	380	430	465	525	570	620	680	300	355	380	430
l₂ (mm)	80-40	80-60	80-60	80-60	80	80	80	80	80-40	80-40	80-60	80-60
l₃ (mm)	315	315	325	325	335	335	335	340	345	245	345	355
m (kg)	6,5	6,9	7,6	8,1	8,8	9,6	10,3	11,1	6,8	7,2	7,7	8,4

*

*

*

*

d₁-d₃(mm)	560-315	560-355	560-400	560-450	560-500	560-560	630-200	630-224	630-250	630-280	630-315	630-400
l₁ (mm)	465	525	570	620	680	740	330	355	380	430	465	570
l₂ (mm)	80-60	80	80	80	80	80	100-40	100-40	100-60	100-60	100-60	100-80
l₃ (mm)	355	365	365	365	370	370	280	380	380	390	390	400
m (kg)	9,0	9,8	10,7	11,5	12,6	13,2	8,9	9,4	10,1	11,0	11,9	14,0

*

*

*

*

d₁-d₃(mm)	630-500	630-630	710-250	710-315	710-400	710-500	710-630	710-710	800-250	800-280	800-315	800-355
l₁ (mm)	680	810	38	465	570	680	810	890	380	430	465	525
l₂ (mm)	100-80	100	100-60	100-60	100-80	100-80	100	100	100-60	100-60	100-60	100-80
l₃ (mm)	405	405	420	430	440	445	445	445	465	475	475	485
m (kg)	16,2	18,6	11,9	13,8	16,3	18,8	21,6	23,6	13,4	14,6	15,5	17,0

*

*

*

*

d₁-d₃(mm)	800-400	800-450	800-500	800-560	800-630	800-800
l₁ (mm)	570	620	680	740	810	980
l₂ (mm)	100-80	100-80	100-80	100-80	100	100
l₃ (mm)	485	485	490	490	490	490
m (kg)	18,3	19,6	21,1	22,6	24,3	28,6

*

*

*

*

*

*